




# Serrures de porte G-TS manœuvre à la poignée

## 5.2.2 Serrures de porte G-TS avec 2i.S.

### Têtière plate 16 mm



#### 5.2.2.1 Serrures de porte G-TS Modul PT avec 2i.S. E92 tête 16



rallongeable	Argent	92	28	8	1.050	1.900 - 2.500	16	L	5	No
			35	8	1.050	1.900 - 2.500	16	1.500	5	<b>232140</b>
			40	8	1.050	1.900 - 2.500	16	1.500	5	<b>232141</b>
			45	8	1.050	1.900 - 2.500	16	1.500	5	<b>232142</b>
			45	8	1.050	1.900 - 2.500	16	1.500	5	<b>232143</b>
			50	8	1.050	1.900 - 2.500	16	1.500	5	<b>232144</b>
			55	8	1.050	1.900 - 2.500	16	1.500	5	<b>232145</b>
			60	8	1.050	1.900 - 2.500	16	1.500	5	<b>232146</b>
			65	8	1.050	1.900 - 2.500	16	1.500	5	<b>232147</b>



# Serrures de porte G-TS manœuvre à la poignée

## 5.4 Serrures de porte G-TS Modul avec crochets et goujons

### 5.4.1 Serrures de porte G-TS avec 2HO-BO

#### Tête plate 16 mm

233445



#### 5.4.1.1 Serrures de porte G-TS Modul PT-M avec 2HO-BO E92 tête 16



modulaire	Argent	92						L		No
		28	8	1.050	1.950 - 2.400	16	2.400	5	<b>233440</b>	
		35	8	1.050	1.950 - 2.400	16	2.400	5	<b>233441</b>	
		40	8	1.050	1.950 - 2.400	16	2.400	5	<b>233442</b>	
		45	8	1.050	1.950 - 2.400	16	2.400	5	<b>233443</b>	
		50	8	1.050	1.950 - 2.400	16	2.400	5	<b>233444</b>	
		55	8	1.050	1.950 - 2.400	16	2.400	5	<b>233445</b>	
		60	8	1.050	1.950 - 2.400	16	2.400	5	<b>233446</b>	
		65	8	1.050	1.950 - 2.400	16	2.400	5	<b>233447</b>	

#### Tête plate 20 mm

233865



#### 5.4.1.2 Serrures de porte G-TS Modul PT-M avec 2HO-BO E92 tête 20



modulaire	Argent	92						L		No
		28	8	1.050	1.950 - 2.400	20	2.400	5	<b>233860</b>	
		35	8	1.050	1.950 - 2.400	20	2.400	5	<b>233861</b>	
		40	8	1.050	1.950 - 2.400	20	2.400	5	<b>233862</b>	
		50	8	1.050	1.950 - 2.400	20	2.400	5	<b>233864</b>	
		55	8	1.050	1.950 - 2.400	20	2.400	5	<b>233865</b>	
		60	8	1.050	1.950 - 2.400	20	2.400	5	<b>233866</b>	
		65	8	1.050	1.950 - 2.400	20	2.400	5	<b>233867</b>	

#### Tête décalée 24/16 mm

234895



#### 5.4.1.3 Serrures de porte G-TS Modul PT-M avec 2HO-BO E92 tête 24/16



modulaire	Argent	92						L		No
		35	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234891</b>	
		40	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234892</b>	
		45	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234893</b>	
		50	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234894</b>	
		55	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234895</b>	
		60	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234896</b>	
		65	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234897</b>	

## Serrures de porte G-TS manœuvre à la poignée

239843



<b>5.4.1.4 Serrures de porte G-TS Modul PT-M avec 2HO-BO E92 Stulp 24/16 GM1050 2-flg.</b>								<b>L</b>		<b>No</b>
2 vantaux	Argent	92	28	8	750	1.900 - 2.100	24/16	1.500	5	<b>239840</b>
			35	8	750	1.900 - 2.100	24/16	1.500	5	<b>239841</b>
			45	8	750	1.900 - 2.100	24/16	1.500	5	<b>239843</b>

### Tête U 6x24x6 mm

236845



<b>5.4.1.5 Serrures de porte G-TS Modul PT-M avec 2HO-BO E92 tête U-6x24x6</b>								<b>L</b>		<b>No</b>
modulaire	Argent	92	28	8	1.050	1.950 - 2.400	24	2.200	5	<b>236840</b>
			35	8	1.050	1.950 - 2.400	24	2.200	5	<b>236841</b>
			40	8	1.050	1.950 - 2.400	24	2.200	5	<b>236842</b>
			45	8	1.050	1.950 - 2.400	24	2.200	5	<b>236843</b>
			50	8	1.050	1.950 - 2.400	24	2.200	5	<b>236844</b>
			55	8	1.050	1.950 - 2.400	24	2.200	5	<b>236845</b>
			60	8	1.050	1.950 - 2.400	24	2.200	5	<b>236846</b>
			65	8	1.050	1.950 - 2.400	24	2.200	5	<b>236847</b>

# Serrures de porte G-TS manœuvre à la poignée

## 5.4.2 Serrures de porte G-TS avec 4HO-BO

### Tête plate 16 mm

235295



#### 5.4.2.1 Serrures de porte G-TS Modul PT-M avec 4HO-BO E92 tête 16



		92	28	8	1.050	1.950 - 2.400	16	L	5	No
modulaire	Argent		28	8	1.050	1.950 - 2.400	16	2.400	5	<b>235290</b>
			35	8	1.050	1.950 - 2.400	16	2.400	5	<b>235291</b>
			40	8	1.050	1.950 - 2.400	16	2.400	5	<b>235292</b>
			45	8	1.050	1.950 - 2.400	16	2.400	5	<b>235293</b>
			50	8	1.050	1.950 - 2.400	16	2.400	5	<b>235294</b>
			55	8	1.050	1.950 - 2.400	16	2.400	5	<b>235295</b>
			60	8	1.050	1.950 - 2.400	16	2.400	5	<b>235296</b>
			65	8	1.050	1.950 - 2.400	16	2.400	5	<b>235297</b>

# Serrures de porte G-TS manœuvre à la poignée

## 5.5 Serrures de porte G-TS Modul avec crochets et i.S.

### 5.5.1 Serrures de porte G-TS avec 2HO et 2i.S.

#### Tête plate 16 mm

234955



#### 5.5.1.1 Serrures de porte G-TS Modul PT-M avec 2HO et 2i.S. E92 tête 16

								<b>L</b>		<b>No</b>
rallongeable	Argent	92	28	8	1.050	1.950 - 2.400	16	2.400	5	<b>234950</b>
			35	8	1.050	1.950 - 2.400	16	2.400	5	<b>234951</b>
			40	8	1.050	1.950 - 2.400	16	2.400	5	<b>234952</b>
			45	8	1.050	1.950 - 2.400	16	2.400	5	<b>234953</b>
			50	8	1.050	1.950 - 2.400	16	2.400	5	<b>234954</b>
			55	8	1.050	1.950 - 2.400	16	2.400	5	<b>234955</b>
			60	8	1.050	1.950 - 2.400	16	2.400	5	<b>234956</b>
			65	8	1.050	1.950 - 2.400	16	2.400	5	<b>234957</b>

#### Tête plate 20 mm

234985



#### 5.5.1.2 Serrures de porte G-TS Modul PT-M avec 2HO et 2i.S. E92 tête 20

								<b>L</b>		<b>No</b>
rallongeable	Argent	92	28	8	1.050	1.950 - 2.400	20	2.400	5	<b>234980</b>
			35	8	1.050	1.950 - 2.400	20	2.400	5	<b>234981</b>
			40	8	1.050	1.950 - 2.400	20	2.400	5	<b>234982</b>
			45	8	1.050	1.950 - 2.400	20	2.400	5	<b>234983</b>
			50	8	1.050	1.950 - 2.400	20	2.400	5	<b>234984</b>
			55	8	1.050	1.950 - 2.400	20	2.400	5	<b>234985</b>
			60	8	1.050	1.950 - 2.400	20	2.400	5	<b>234986</b>
			65	8	1.050	1.950 - 2.400	20	2.400	5	<b>234987</b>

#### Tête décalée 24/16 mm

235015



#### 5.5.1.3 Serrures de porte G-TS Modul PT-M avec 2HO et 2i.S. E92 tête 24/16

								<b>L</b>		<b>No</b>
rallongeable	Argent	92	28	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>235010</b>
			35	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>235011</b>
			45	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>235013</b>
			50	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>235014</b>
			55	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>235015</b>
			60	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>235016</b>
						65	8	1.050	1.950 - 2.400	24/16

# Serrures de porte G-TS manœuvre à la poignée

242330



5.5.1.4 Serrures de porte G-TS de réparation PT-M avec 2HO + 2i.S. E92 tête à 16								<b>L</b>		<b>N°</b>
Serrure de réparation	Argent	92	28	8	1.050	1.950 - 2.400	16	2.400	5	<b>242330</b>
rallongeable Serrure de réparation	Argent	92	35	8	1.050	1.950 - 2.400	16	2.400	5	<b>242331</b>



# Serrures de porte G-TS manœuvre à la poignée

## 5.6 Serrures de porte G-TS Modul avec crochets

### 5.6.1 Serrures de porte G-TS avec 2HO

#### Tête plate 16 mm

236835



#### 5.6.1.1 Serrures de porte G-TS Modul PT-M avec 2HO E92 tête 16

								<b>L</b>		<b>No</b>
rallongeable	Argent	92	28	8	1.050	1.950 - 2.400	16	2.400	5	<b>236830</b>
			35	8	1.050	1.950 - 2.400	16	2.400	5	<b>236831</b>
			40	8	1.050	1.950 - 2.400	16	2.400	5	<b>236832</b>
			45	8	1.050	1.950 - 2.400	16	2.400	5	<b>236833</b>
			50	8	1.050	1.950 - 2.400	16	2.400	5	<b>236834</b>
			55	8	1.050	1.950 - 2.400	16	2.400	5	<b>236835</b>
			60	8	1.050	1.950 - 2.400	16	2.400	5	<b>236836</b>

#### Tête plate 20 mm

234885



#### 5.6.1.2 Serrures de porte G-TS Modul PT-M avec 2HO E92 tête 20

								<b>L</b>		<b>No</b>
rallongeable	Argent	92	28	8	1.050	1.950 - 2.400	20	2.400	5	<b>234880</b>
			35	8	1.050	1.950 - 2.400	20	2.400	5	<b>234881</b>
			40	8	1.050	1.950 - 2.400	20	2.400	5	<b>234882</b>
			45	8	1.050	1.950 - 2.400	20	2.400	5	<b>234883</b>
			50	8	1.050	1.950 - 2.400	20	2.400	5	<b>234884</b>
			55	8	1.050	1.950 - 2.400	20	2.400	5	<b>234885</b>
			60	8	1.050	1.950 - 2.400	20	2.400	5	<b>234886</b>

#### Tête décalée 24/16 mm

234915



#### 5.6.1.3 Serrures de porte G-TS Modul PT-M avec 2HO E92 tête 24/16

								<b>L</b>		<b>No</b>
rallongeable	Argent	92	28	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234910</b>
			35	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234911</b>
			40	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234912</b>
			45	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234913</b>
			50	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234914</b>
			55	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234915</b>
			60	8	1.050	1.950 - 2.400	24/16	2.400	5	<b>234916</b>

## Serrures de porte G-TS manœuvre à la poignée

239850



### 5.6.1.4 Serrures de porte G-TS Modul PT-M avec 2HO E92 tête U 24/16 GM1050



		92	28	8	750	1.900 - 2.100	24/16	L	5	No
2 vantaux	Argent									<b>239850</b>
			45	8	750	1.900 - 2.100	24/16	1.500	5	<b>239853</b>

### Tête U 6x24x6 mm

236855



### 5.6.1.5 Serrures de porte G-TS Modul PT-M avec 2HO E92 tête U-6x24x6 GM1050



		92	28	8	1.050	1.950 - 2.400	24	L	5	No
modulaire	Argent									<b>236850</b>
			35	8	1.050	1.950 - 2.400	24	2.200	5	<b>236851</b>
			40	8	1.050	1.950 - 2.400	24	2.200	5	<b>236852</b>
			50	8	1.050	1.950 - 2.400	24	2.200	5	<b>236854</b>
			55	8	1.050	1.950 - 2.400	24	2.200	5	<b>236855</b>
			60	8	1.050	1.950 - 2.400	24	2.200	5	<b>236856</b>
			65	8	1.050	1.950 - 2.400	24	2.200	5	<b>236857</b>

5

# Serrures de porte G-TS manœuvre à la poignée

## 5.7 Serrures de porte G-TS Modul avec goujons et i.S.

### 5.7.1 Serrures de porte G-TS avec 2BO et 2i.S.

#### Tête plate 16 mm

236825



#### 5.7.1.1 Serrures de porte G-TS Modul PT-M avec 2BO et 2i.S. E92 tête 16

rallongeable	Argent	92	E92		1.050	1.950 - 2.400	16	L	5	No
			35	8						
			35	8	1.050	1.950 - 2.400	16	2.400	5	236821
			45	8	1.050	1.950 - 2.400	16	2.400	5	236823
			50	8	1.050	1.950 - 2.400	16	2.400	5	236824
			55	8	1.050	1.950 - 2.400	16	2.400	5	236825
			60	8	1.050	1.950 - 2.400	16	2.400	5	236826
			65	8	1.050	1.950 - 2.400	16	2.400	5	236827

#### Tête plate 20 mm

234970



#### 5.7.1.2 Serrures de porte G-TS Modul PT-M avec 2BO et 2i.S. E92 tête 20

rallongeable	Argent	92	E92		1.050	1.950 - 2.400	20	L	5	No
			28	8						
			28	8	1.050	1.950 - 2.400	20	2.400	5	234970
			35	8	1.050	1.950 - 2.400	20	2.400	5	234971
			40	8	1.050	1.950 - 2.400	20	2.400	5	234972
			50	8	1.050	1.950 - 2.400	20	2.400	5	234974
			65	8	1.050	1.950 - 2.400	20	2.400	5	234977

#### Tête décalée 24/16 mm

235005



#### 5.7.1.3 Serrures de porte G-TS Modul PT-M avec 2BO et 2i.S. E92 tête 24/16

rallongeable	Argent	92	E92		1.050	1.950 - 2.400	24/16	L	5	No
			28	8						
			28	8	1.050	1.950 - 2.400	24/16	2.400	5	235000
			35	8	1.050	1.950 - 2.400	24/16	2.400	5	235001
			45	8	1.050	1.950 - 2.400	24/16	2.400	5	235003
			50	8	1.050	1.950 - 2.400	24/16	2.400	5	235004
			55	8	1.050	1.950 - 2.400	24/16	2.400	5	235005
			60	8	1.050	1.950 - 2.400	24/16	2.400	5	235006
			65	8	1.050	1.950 - 2.400	24/16	2.400	5	235007